

User's Manual VGA to HDMI Converter



Product number: KN39752



Thank you for purchasing our VGA to HDMI Converter

We hold several brands to produce and distribute our products: **LEICKE** (power adapters, batteries), **KanaaN** (adapters/converters, charging cables etc.), **Sharon** (iPad cases with keyboard, fans etc.), **HEBRON** (protective cases, docking stations, screen protectors etc.) and **MANNA**(notebook cases).

We continuously work on the further development of our products, our customer support and innovations. Our products have a long service life, are eco-friendly and high performing. Furthermore, every day we do our very best to satisfy you as our customer. That is why you, no matter if private or business customer, are in the focus of our company's efforts. We take your reviews and proposals seriously and evaluate them continuously. That way, we get to know you and your demands on our products and services better and thus allow for positive enhancements.

To discover more about LEICKE products, or if you have any questions about this product, visit our website www.leicke.com.

Dear customer,

if you have to convert VGA signals into HDMI signals, e.g. to show movies from a PC on a large-screen TV, then this converter is just the right thing for you. It converts VGA and Audio L/R signals into HDMI signals and allows you to connect a PC to a 1080p HDTV. It supports resolutions up to 1920x1080.

Your LEICKE Team



PACKAGE CONTENTS

Before attempting to use this device, please check the packaging and make sure the following items are contained in the package:

Number of Pieces	Name	Note
1	VGA to HDMI converter	-
1	power adapter	DC 5V/1A
1	user manual	-

TECHNICAL DETAILS

Input/Output	VGA, Audio/HDMI	
Impedance	75Ω	
HDMI transmission rate	5Gbps	
Resolutions and frequencies	3	
VGA signals	720x400 85Hz, 640x480 60Hz, 800x600 60Hz, 1024x768	
	60Hz,1280x768 60Hz, 1280x1024 60Hz, 1360x768 60Hz	
	1600x1200 60Hz, 1920x1080 60Hz	
max. transmission distance	15m with 24AWG HDMI cable	
Compatible	HDMI High Speed	



INTERFACE AND DIMENSIONS







CONNECTION DIAGRAM



TROUBLESHOOTING

When the blue LED glows, the converter is working. If there is no picture, please set the resolution and refresh rate of the PC and the HDTV to one of the resolutions listed above (see Technical Details).

Please contact us if you cannot solve the problems with the given information.



CONTACT

If you have any questions, please feel free to contact us.

LEICKE GmbH

Dohnanyistr. 28 04103 Leipzig Germany

Web: www.leicke.com
Mail: info@leicke.com

